

Minimization of Finite Automata

Prof. (Dr.) K.R. Chowdhary
Email: kr.chowdhary@iitj.ac.in

Former Professor & Head, Department of Computer Sc. & Engineering
MBM Engineering College, Jodhpur

Friday 22nd January, 2021

- Each DFA defines a unique language but reverse is not true.
 - Larger number of states in FA require higher memory and computing power.
 - An *NFA* of n states result to 2^n maximum number of states in an equivalent *DFA*, therefore design of *DFA* is crucial.
- Minimization of a *DFA* refers to detecting those states whose absence does not affect the language acceptability of *DFA*.
 - A reduced Automata consumes lesser memory, and complexity of implementation is reduced. This results to faster execution time, easier to analyze.

Some definitions

- **Unreachable states:** If there does not exist any q' , such that $\delta^*(q_0, w) = q'$, then q' is unreachable/unaccessible state.
- **Dead state:** $\forall a, a \in \Sigma, q$ is dead state if $\delta(q, a) = q$ and $q \in Q - F$.
- **Reachability:** FA M is **accessible** if $\exists w, w \in \Sigma^*$, and $(q_0, w) \vdash^* (q, \epsilon)$ for all $q \in Q$. \vdash^* is called **reachability** relation.
- **Indistinguishable states:** Two states are indistinguishable if


their behavior are indistinguishable with respect to each other. For example, p, q are indistinguishable if $\delta^*(p, w) = \delta^*(q, w) = r \in Q$ for all $w \in \Sigma^*$.

- **k-equivalence:** p, q are k -equivalence if:

$\delta^*(q, w) \in F \Leftrightarrow \delta^*(p, w) \in F$,
for all $w \in \Sigma^*$ and $|w| \leq k$;
written as $p \sim_k q$.

If they are equivalent for all k , then $p \sim q$. The $p \sim_k q$ and $p \sim q$ are equivalent relations.

Minimization Example




Finite automata to be minimized

- q_6 has no role, hence it can be removed.
- q_1, q_5 are indistinguishable states because their behavior is identical for any string supplied at these states. These are called equivalent states, and can be merged.
- In merging of two equivalent states, one state is eliminated,

and the state which remains will have in addition, all incoming transitions from the removed state.

- Similarly, the states q_0, q_4 are also indistinguishable states, hence they can also be merged. q_3 is dead state.



Minimized FA

- 1 Identify and remove all unreachable states: find all reachable states R , the non-reachable states are $Q - R$.

$$\begin{aligned} R &= \{q_0\} \\ \text{while } \exists p, p \in R \wedge \exists a, a \in \Sigma, \\ &\text{and } \delta(p, a) \notin R \\ \{ \\ R &= R \cup \delta(p, a) \\ \} \end{aligned}$$

- 2 Identify and merge of indistinguishable states.

- 3 Identify and merge of dead states.
- 4 A sequence w is accepted if $\delta^*(q, w) \in F$

Indistinguishability is an equivalence relation. Let $p, q, r \in Q$. Let $p \equiv q$, if they are indistinguishable. So,

$p \equiv p$; *reflexive*

$p \equiv q \Leftrightarrow q \equiv p$; *symmetry*

$p \equiv q, q \equiv r \Rightarrow p \equiv r$;
transitivity, \therefore ,

indistinguishability is an equivalence relation.

- Let $x, y \in \Sigma^*$, then x and y are said to be *equivalent with respect to L* (i.e. $x \approx_L y$), if for some $z \in \Sigma^*$, $xy \in L$ iff $yz \in L$.
- \approx_L relation is *reflexive, symmetric, and transitive*, \therefore , it is *equivalence* relation, which divides the language set

L into equivalence classes.


- For a *DFA* M ; $x, y \in \Sigma^*$ are equivalent with respect to M , if x, y both drive M from a state q_0 to same state q' ,

$$\delta^*(q_0, x) = q' \text{ and}$$

$$\delta^*(q_0, y) = q',$$

$$\therefore, x \approx_M y$$

Minimization Example#1



- 1 There is no unreachable state
- 2 Indistinguishable states
 q_1, q_2 are indistinguishable, and q_0, q_3 are distinguishable
- 3 Reduced automata: The set of distinguishable states are:
 $[s_0] = \{q_0\}, [s_1] = \{q_1, q_2\}, [s_2] = \{q_3\}$.
Start and final states are $[s_0], [s_2]$.

Minimization Algorithm

The minimization algorithm is based on the following theorem:

Theorem

Let $\delta(p, a) = p'$ and $\delta(q, a) = q'$, for $a \in \Sigma$. If p', q' are *distinguishable* then so are p, q .

Proof.

If p', q' are distinguishable by wa then p, q are distinguishable by string w . □

Minimization Algorithm (Table Filling Algorithm)


- 1 Remove inaccessible/unreachable states:
delete $Q - Q_R$, where Q_R is set of accessible states.
- 2 Marking distinguishable states:
 - Mark p, q as distinguishable, where $p \in F, q \notin F$
 - For all marked pairs p, q and $a \in \Sigma$, if $\delta(p, a), \delta(q, a)$ is already marked distinguishable then mark p, q as distinguishable.
- 3 Construct reduced automata:
 - Let the set of indistinguishable (equivalent) states be sets $[p_i], [q_j], \dots$ such that $\forall i, j [p_i] \cap [q_j] = \emptyset$ and $[p_i] \cup [q_j] \cup \dots = Q_R$.
 - For each $\delta(p_i, a) = q_j$, add an edge from $[p_i]$ to $[q_j]$
- 4 Mark the start and final states:
 - if $q_0 \in [p_i]$ then mark $[p_i]$ as start state,
 - if $q_f \in F$, then mark $[q_f]$ as final state.

Implementation of Table Filling Algorithm

Steps:

- 1 Let $M = (Q, \Sigma, \delta, s, F)$. Remove all the non-reachable states.
- 2 For $p \in F$ and $q \in Q - F$, put "x" in table at (p, q) . This shows that p, q are distinguishable.
- 3 If $\exists w$, such that $\delta^*(p, w) \in F$ and $\delta^*(q, w) \notin F$, mark (p, q) as distinguishable.
- 4 Recursion rule: if $\delta^*(p, w) = r, \delta^*(q, w) = s$, and (r, s) were earlier proved distinguishable, then mark (p, q) also distinguishable in the table.

Example: Table Filling algorithm to minimize a FA




- Consider that we want to minimize the FA shown above. The state q_3 is unreachable, so it can be dropped.
- Next, we mark the distinguishable states at begin as final and non-final states. and make their entries in table as $(q_2, q_0), (q_2, q_1), (q_4, q_2), (q_5, q_2), (q_6, q_2), (q_7, q_2)$ and indicate these by mark "x."

Example: Table Filling algorithm to minimize a FA ...

q_1	x					
q_2	x	x				
q_4		x	x			
q_5	x	x	x	x		
q_6	x	x	x	x	x	
q_7			x	x	x	x
	q_0	q_1	q_2	q_4	q_5	q_6

- Next we consider the case $\delta(q_0, 1) = q_5, \delta(q_1, 1) = q_2$. Since (q_5, q_2) are already marked distinguishable, therefore, (q_0, q_1) are also distinguishable.
- Like this we have filled the table shown above. The unmarked are indistinguishable states.

Example: Table Filling algorithm to minimize a FA...



- Only states pairs which are not marked distinguishable are $\{q_0, q_4\}$ and $\{q_1, q_7\}$. The automata shown in figure above is reduced automata.