


# Unix System Architecture, File System, and Shell Commands

Prof. K. R. Chowdhary

January 29, 2024

# Unix System Architecture




- **Hardware:** CPU, Memory, IO interface
- **Kernel:** It is the core

component of Operating System, interacts directly with hardware

- **Shell:** An interface to kernel, hiding complexity of kernel's functions from users.
- **Utilities:** Programs that provide the user most of the functionalities of an operating systems. These are application programs.


# Linux File System

- Two Views: Logical & Physical
- The **Unix file system** (UFS; also called the Berkeley Fast File System, the BSD Fast File System or FFS) is a file system used by many Unix and Unix-like operating systems. It is a distant descendant of the original filesystem used by Version 7 Unix.



# File system structure

- Files have no structure at all, they are only flat sequences of bytes.
- In UNIX a part or all of a disk's file system can be mounted in another disk's file system.
- **Files and inodes.** A file consists of exactly one inode, and zero or more data blocks. An inode is a structure used to maintain information about the file.



- `/dev`: Contains file representations of peripheral devices and pseudo-devices
- `/mnt`: Empty directory commonly used by system administrators as a temporary mount point.
- `/proc`: procfs virtual filesystem showing information about processes as files.
- `/sbin`: Stands for “system (or superuser) binaries”, contains fundamental utilities, like `init`,
- `/tmp`: A place for temporary files not expected to survive a reboot.
- `/usr`: The “user file system”: originally the directory holding user home directories
- `/lib`: libraries and data files for programs stored within `/usr` or elsewhere.

# Linux File System commands

- File system Commands: for Directories

cd, mkdir, rmdir, pwd (Print Working Directory), cp, mv

- File system Commands: for Files

ls, cp, mv, ln, touch (Update), rm, cat, more, head, tail, wc, diff, file

- Redirection, and pipe: >, <, |, /dev/null

- Devices as files: /dev/sda1, /dev/sda2, /dev/lp, /dev/tty1.../dev/tty63, /dev/tty, /dev/lp,


- Editor: ed, sed, vi

- Misc.: lpr, who, ps, find, sort, cut, paste.

e.g. \$ cut -d: -f1,2 months

e.g. \$ paste -d: file1 file2

# Disk layout of file system




- A file system is created with `mkfs`. It defines a

number of parameters

- a bootblock - contains a primary boot program for the operating system;
- a superblock - static parameters of the file system,
- inodes - stands for index node
- data blocks - each block has typically a size of 4 Kbytes
- fragment data block size - typically of size 512 bytes

# Inode structure





# Inode structure

- 128 bytes (64 bytes in oldersystems) each
- Statically allocated
- Root inode (inode 2) the root (/) of the filesystem
- Inode contents: Permissions: 9 bits, three time stamps: modification time, access time, status time (when certain changes was made to the inode)
- Through pointers in the inode we can access the file's data blocks.
  - 12 direct pointers
  - 1 single indirect pointer
  - 1 double indirect pointer
  - 1 triple indirect pointer